Georgia Weekly Influenza Report

MMWR Week 19


Updated 5/17/2013

Week 19 (May 5, 2013 - May 11, 2013) Synopsis

During week 19 influenza activity decreased in Georgia with infrequent occurrences of flu transmission.

- Outpatient Illness Surveillance (ILINet): The proportion of outpatient visits for ILI was 0.56% (an increase of 0.16%). This increase is due to the decreased number of patients seen compared to last week. The percent of ILI is still below the Georgia baseline of 2.8%.
- **Geographic Spread of Influenza:** The geographic spread of influenza in Georgia was **NONE** during week 19.
- **Metro Area Hospitalizations:** There were no noted hospitalizations for the metro area last week. This makes the cumulative total in the Metro area 1169.
- **Influenza Related Deaths:** There were 0 confirmed deaths due to influenza during week 19, for a total of **10** for the season.
- Viral Surveillance: Of the 195 specimens tested and reported by the Georgia Public Health Laboratory (GPHL) and the National Respiratory and Enteric Virus Surveillance System (NREVSS) collaborating laboratories during week 19, 9 (4.6%) were positive for influenza.
- **Reported Influenza Outbreaks:** There were **0** influenza-related outbreak reported to public health during week 19.
- RSV Viral Surveillance: RSV season has ended.

ILINet Provider Network Data



This Week: **0.72**% of patients seen in ILINet Provider offices were diagnosed with ILI.

Last Week: **0.56**% of patients seen in ILINet Provider

Note: The Georgia baseline is formulated by averaging ILI percentage during weeks of endemic activity determined by laboratory

Percentage of patients with ILI reported by ILINet providers (Volunteer providers who report percentage of patients with ILI seen by their practice or facility weekly. This week there are currently 27 ILINet providers

ILINet patient visits by age group

This graph displays the number of patients seen at sentinel provider offices and diagnosed with ILI in the past week. The data are stratified by age-group.


ILI Activity Level Indicator - ILINet

(This graph uses the proportion of outpatient visits for ILI to measure the ILI severity in Georgia.) For a national view, visit http://cdc.gov/flu/weekly/)

Council of State and Territorial Epidemiologists Report – Geographic Dispersion

(This graph reflects geographic dispersion and is not an indicator of influenza severity)

ILINet Patient Visits By Age Group




During week 19 there was an overall decrease in total patients seen at ILI sentinel provider offices, and the number of patients diagnosed with ILI remained the same.

Georgia ILI Intensity Indicator

ILI Activity Levels (1 - 10) correspond to the number of standard deviations away from the 3 -year mean for the current week.

This week the intensity level is:

Minimal = I




Georgia ILI Geographic Dispersion

This Week's Flu Code is:

NONE

ILI not increased in any region



Syndromic Surveillance Data Daily Influenza-like Illness Syndrome (percentage of ILI visits)


Council of State and Territorial Epidemiologists Report – Geographic Dispersion


(This graph reflects geographic dispersion and is not an indicator of influenza severity)

Daily Percent of ILI Syndrome Visits to Georgia Emergency

Daily Percent of ILI Syndrome Visits to Georgia Emergency Departments


(Measured by ILI syndrome/ Total visits from Georgia Syndromic Surveillance Program emergency department of





During week 19 the daily percentage of patients seen for ILI in Georgia Emergency Departments reporting to our syndromic surveillance system decreased slightly during week 19.

Weekly Percent of ILI Syndrome Visits by Age Group



Influenza Hospitalizations in the eight county metro Atlanta area 2012-2013 (Emerging Infections Program data)

Influenza-Associated
Deaths 2012-2013 Statewide (Influenza-associated
deaths are a notifiable condition in Georgia)

Influenza-Associated hospitalizations in the eightcounty metro Atlanta area (Emerging Infections Program data) 65+

Total


Influenza-Associated deaths reported to Public Health

Georgia Influenza-Associated Hospitalizations and Deaths

| Age Group | Number of Hospitaliza- tions (8– County Metro-Area Only) | Hospitalization Rate (Cases/100,000 people) |
|-----------|---|--|
| 0 - 4 | 144 (12.3%) | 53.25 |
| 5 - 17 | 124 (10.6%) | 17.76 |
| 18 - 49 | 273 (23.4 %) | 15.14 |
| 50 - 64 | 208 (17.8%) | 31.67 |
| 65+ | 420 (35.9%) | 129.23 |
| Total | 1169 | 31.14 |
| Age Group | Number of Deaths | |
| 0 - 4 | 2 | |
| 5 - 17 | 2 | |
| 18 - 49 | 2 | |
| 50 - 64 | 0 | |
| | | - <u>- </u> |



10



2 Peachtree St. N.W. Atlanta, GA 30303

Phone: 404-463-4623 Fax: 404-657-7517 E-mail: snwilson3@dhr.state.ga.us

GA DPH on the web! http://health.state.ga.us/


Georgia threshold of RSV season onset and end

RSV season onset is defined as the first week of two (2) consecutive weeks when the average percent positive of ALL lab confirmed tests are greater than or equal to 10%. The end of RSV season is now defined as the first week of two consecutive weeks when the average percent positive of ALL lab confirmed tests are less than 10%.

> RSV Season Status: OFF




Georgia Virologic Surveillance Data



Note: Includes rapid tests reported from reference Laboratories and the Georgia Public Health Laboratory; not all positive laboratory results for influenza are reported to Public Health.

Respiratory Syncytial Virus (RSV) Surveillance Data



Flu News

New reports yield clues about H7N9 detection, links to poultry

Saudi Arabia assigns more labs to coronavirus probe